


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M STREET, S.W.
WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: director, OPPE Information management Division (2137), U. S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.

DATA MATRIX


| | | | | | |
|--|---------------------------------------|--|--|-------------|------------------------|
| Date August 6, 2004 | | EPA Reg. No./File Symbol 81598 - To be Added | | Page 1 of 5 | |
| Applicant's/Registrant's Name & Address ROTAM LTD c/o IPM Resources LLC 660 Newtown-Yardley Rd., Suite 105 Newtown, PA 18940 | | Product ABAMECTIN TECHNICAL | | | |
| Ingredient ABAMECTIN (Significantly similar to AFFIRM® Technical / EPA Registration No.: 100-895) | | | | | |
| Guideline Reference Number | Guideline Study Name | MRID Number | Submitter | Status | Note |
| Group A - Product Identity, Composition and Analysis Test Guidelines | | | | | |
| 830.1550 | Product Identity Composition | | ROTAM LTD | OWN | See Volume 1 |
| 830.1600 | Description of Materials | | ROTAM LTD | OWN | See Volume 1 |
| 830.1650 | Description of Formulation Process | | ROTAM LTD | OWN | See Volume 1 |
| 830.1670 | Discussion of Formation of Impurities | | ROTAM LTD | OWN | See Volume 1 |
| 830.1700 | Preliminary Analysis | | | NA | |
| 830.1750 | Certified Limits | | ROTAM LTD | OWN | See Volume 1; CSF |
| 830.1800 | Enforcement Analytical Methods | | ROTAM LTD | OWN | See Volume 3 |
| 830.1900 | Submittal of Samples | | | NA | |
| Group B - Physical/Chemical Properties Test Guidelines | | | | | |
| 830.6302 | Color | | ROTAM LTD | OWN | See Volume 4 |
| 830.6303 | Physical State | | ROTAM LTD | OWN | See Volume 4 |
| 830.6304 | Odor | | | NA | |
| Signature  | | | Name and Title Frank E. Sobotka, Ph.D. Regulatory Agent | | Date August 6, 2004 |

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M STREET, S.W.
WASHINGTON, D.C. 20460

Form Approved OMB No. 2070-001

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: director, OPPE Information management Division (2137), U. S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.

DATA MATRIX


| | | | | | |
|--|---------------------------------------|--|--|-------------|---------------------|
| Date August 6, 2004 | | EPA Reg. No./File Symbol 81598 - To be Added | | Page 2 of 5 | |
| Applicant's/Registrant's Name & Address ROTAM LTD c/o IPM Resources LLC 660 Newtown-Yardley Rd., Suite 105 Newtown, PA 18940 | | Product ABAMECTIN TECHNICAL | | | |
| Ingredient ABAMECTIN (Significantly similar to AFFIRM® Technical / EPA Registration No.: 100-895) | | | | | |
| Guideline Reference Number | Guideline Study Name | MRID Number | Submitter | Status | Note |
| Group B - Physical/Chemical Properties Test Guidelines (Continued) | | | | | |
| 830.6313 | Stability | | ROTAM LTD | OWN | See Volume 4 |
| 830.6314 | Oxidization/Reduction | | | NA | |
| 830.6315 | Flammability | | ROTAM LTD | OWN | See Volume 4 |
| 830.6316 | Explosibility | | | NA | |
| 830.6317 | Storage Stability | | | NA | |
| 830.6319 | Miscibility | | | NA | |
| 830.6320 | Corrosion Characteristics | | | NA | |
| 830.6321 | Dielectric Breakdown Voltage | | | NA | |
| 830.7000 | pH | | ROTAM LTD | OWN | See Volume 5 |
| 830.7050 | UV/Visible Absorption | | ROTAM LTD | OWN | See Volume 4 |
| 830.7100 | Viscosity | | | NA | |
| 830.7200 | Melting Point | | ROTAM LTD | OWN | See Volume 4 |
| 830.7220 | Boiling Point | | ROTAM LTD | OWN | See Volume 5 |
| 830.7300 | Density/Relative Density/Bulk Density | | ROTAM LTD | OWN | See Volume 4 |
| 830.7370 | Dissociation Constant | | | NA | |
| Signature  | | | Name and Title Frank E. Sobotka, Ph.D. Regulatory Agent | | Date August 6, 2004 |

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M STREET, S.W.
WASHINGTON, D.C. 20460

Form Approved OMB No. 2070-001

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: director, OPPE Information management Division (2137), U. S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.



DATA MATRIX

| | | | | | |
|--|-------------------------------------|--|-----------|---------------------|---------------|
| Date August 6, 2004 | | EPA Reg. No./File Symbol 81598 - To be Added | | Page 3 of 5 | |
| Applicant's/Registrant's Name & Address ROTAM LTD c/o IPM Resources LLC 660 Newtown-Yardley Rd., Suite 105 Newtown, PA 18940 | | Product ABAMECTIN TECHNICAL | | | |
| Ingredient ABAMECTIN (Significantly similar to AFFIRM® Technical / EPA Registration No.: 100-895) | | | | | |
| Guideline Reference Number | Guideline Study Name | MRID Number | Submitter | Status | Note |
| Group B - Physical/Chemical Properties Test Guidelines (Continued) | | | | | |
| 830.7550 | Octanol/Water Partition Coefficient | | ROTAM LTD | OWN | See Volume 4 |
| 830.7840 | Water Solubility | | ROTAM LTD | OWN | See Volume 4 |
| 830.7950 | Vapor Pressure | | ROTAM LTD | OWN | See Volume 4 |
| Group A - Acute Toxicity Test Guidelines | | | | | |
| 870.1100 | Acute Oral Toxicity - Rat | | ROTAM LTD | OWN | See Volume 6 |
| 870.1200 | Acute Dermal Toxicity - Rat | | ROTAM LTD | OWN | See Volume 7 |
| 870.1300 | Acute Inhalation Toxicity - Rat | | | WAIVER | |
| Group B - Specific Organ/Tissue Toxicity Test Guidelines | | | | | |
| 870.2400 | Acute Eye Irritation - Rabbit | | ROTAM LTD | OWN | See Volume 8 |
| 870.2500 | Acute Dermal Irritation - Rabbit | | ROTAM LTD | OWN | See Volume 9 |
| 870.2600 | Skin Sensitization | | ROTAM LTD | OWN | See Volume 10 |
| Signature  | | Name and Title Frank E. Sobotka, Ph.D. Regulatory Agent | | Date August 6, 2004 | |

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M STREET, S.W.
WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: director, OPPE Information management Division (2137), U. S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.

DATA MATRIX

| | | | | | |
|---|--|--|---|-------------|------------------------|
| Date August 6, 2004 | | EPA Reg. No./File Symbol 81598 - To be Added | | Page 4 of 5 | |
| Applicant's/Registrant's Name & Address ROTAM LTD. c/o IPM Resources LLC 660 Newtown-Yardley Rd., Suite 105 Newtown, PA 18940 | | Product ABAMECTIN TECHNICAL | | | |
| Ingredient ABAMECTIN (Significantly similar to AFFIRM® Technical / EPA Registration No.: 100-895) | | | | | |
| Guideline Reference Number | Guideline Study Name | MRID Number | Submitter | Status | Note |
| Series 835 - Fate, Transport & Transformation Test Guidelines | | CITE - ALL | SYNGENTA CROP PROTECTION, INC. | PAY | |
| Series 840 - Spray Drift Test Guidelines | | CITE - ALL | SPRAY DRIFT TASK FORCE | PAY | |
| Series 850 - Ecological Effects Test Guidelines | | CITE - ALL | SYNGENTA CROP PROTECTION, INC. | PAY | |
| Series 860 - Residue Chemistry Test Guidelines | | CITE - ALL | SYNGENTA CROP PROTECTION, INC. | PAY | |
| Series 870 - Groups C, D, E, & F - Health Effects Test Guidelines | | CITE - ALL | SYNGENTA CROP PROTECTION, INC. | PAY | |
| Series 875 - Occupational and Residential Exposure Test Guidelines | | CITE - ALL | ORE TASK FORCE | PAY | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Signature |   | | Name and Title Frank E. Sobotka, Ph.D. Regulatory Agent | | Date August 6, 2004 |

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M STREET, S.W.
WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 0.25 hours per response for registration activities and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: director, OPPE Information management Division (2137), U. S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the form to this address.

DATA MATRIX

| | | | | |
|---|---|--------------------------|---------------------|-------------|
| Date | August 6, 2004 | EPA Reg. No./File Symbol | 81598 - To be Added | Page 5 of 5 |
| Applicant's/Registrant's Name & Address | ROTAM LTD c/o IPM Resources LLC 660 Newtown-Yardley Rd., Suite 105 Newtown, PA 18940 | Product | ABAMECTIN TECHNICAL | |
| Ingredient | ABAMECTIN (Significantly similar to AFFIRM® Technical / EPA Registration No.: 100-895) | | | |

Guideline
Ref. No.

830.6317 Storage Stability: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

830.6319 Miscibility: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

830.6320 Corrosion Characteristics: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

830.6321 Dielectric Breakdown Voltage: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

830.7100 Viscosity: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

830.7370 Dissociation Constant: N/A - Not required for Technical Grade Products (Product Properties Test Guidelines OPPTS 830.1000).

870.1300 Acute Inhalation Toxicity: WAIVER REQUESTED - This requirement has been previously waived by the Agency.

NOTES:

830.6317
830.6319
830.6320
830.6321
830.7100
830.7370
870.1300